Contents to volume 331

Hypothesis

Identification of putative internalization signals in prion proteins (FEBS 13032) *A.L. Kazim* 1

Research Letters

Widespread distribution of free D-aspartate in rat periphery (FEBS 12997) *A. Hashimoto, T. Nishikawa, T. Oka, T. Hayashi, K. Takahashi* 4

Isolation and amino acid sequence of the 30S ribosomal protein S19 from *Mycobacterium bovis* BCG (FEBS 12994) *N. Ohara, M. Kimura, Y. Higashi, T. Yamada* 9

Calcitonin gene expression in normal human liver (FEBS 12995) *S. Bracq, M. Machairas, B. Clement, E. Pidoux, M. Andreoletti, M.S. Moukhtar, A. Jullienne* 15

Nucleotide and negatively charged lipid-dependent vesicle aggregation caused by SecA: Evidence that SecA contains two lipid-binding sites (FEBS 12996) *E. Breukink, R.C.A. Keller, B. de Kruijff* 19

ATP-dependent protein refolding activity in reticulocyte lysate: Evidence for the participation of different chaperone components (FEBS 12998) *E. Nimmesgern, F.U. Hartl* 25

pH dependence of light-induced proton release by bacteriorhodopsin (FEBS 12999) *M. Kono, S. Misra, T.G. Ebrey* 31

Novel oxaloacetate effect on mitochondrial Ca^{2+} movement (FEBS 13000) *Y.N. Leikin, T.V. Zharova, O.V. Tjulina* 35

A G-protein-coupled 130 kDa phospholipase C isozyme, PLC-β4, from the particulate fraction of bovine cerebellum (FEBS 13001) *D.S. Min, Y. Kim, Y.H. Lee, P.-G. Suh, S.H. Ryu* 38

Replacement of His^{23} by Cys in a zinc finger of HIV-1 NC_p7 led to a change in ^1H NMR-derived 3D structure and to a loss of biological activity (FEBS 13002) *N. Julian, H. Demene, N. Morellet, B. Maigret, B.P. Roques* 43

Expression, purification and crystallization of fully active, glycosylated human interleukin-5 (FEBS 13003) *Y. Guisez, C. Oefner, F.K. Winkler, E.-J. Schlaeger, M. Zulauf, J. Van der Heyden, G. Plaetinck, S. Cornelis, J. Tavernier, W. Fiers, R. Devos, A. D'Arcy* 49

Distribution and second messenger coupling of four somatostatin receptor subtypes expressed in brain (FEBS 13004) *K. Kaupmann, C. Bruns, D. Hoyer, K. Seuwen, H. Lübbert* 53

cDNA deduced procionin: Structure and expression in protochordates resemble that of procholecystokinin in mammals (FEBS 13006) *H.-J. Monstein, J.U. Thorup, R. Folkesson, A.H. Johnsen, J.F. Rehfeld* 60

Induction of stathmin expression during liver regeneration (FEBS 13005) *J. Koppel, P. Loyer, A. Maucuer, P. Rehák, V. Manceau, C. Guguen-Guillouzo, A. Sobel* 65

Selective proteolysis of the wheat Em polypeptide: Identification of an endopeptidase activity in germinating wheat embryos (FEBS 13007) *R.M. Taylor, A.C. Cuming* 71

Purification of an endoproteinase that digests the wheat 'Em' protein in vitro, and determination of its cleavage sites (FEBS 13008) *R.M. Taylor, A.C. Cuming* 76

Physical map of the extremely thermophilic bacterium *Thermus thermophilus* HB27 chromosome (FEBS 13009) *K. Tabata, T. Kosuge, T. Nakahara, T. Hoshino* 81

Cloning and sequence of the cDNA coding for rat type II Fcγ receptor of mast cells (FEBS 13010) *P. Boček, I. Pecht* 86

Carboxy-terminal processing of the large subunit of [NiFe] hydrogenases (FEBS 13011) *N.K. Menon, J. Robbins, M. Der Vartanian, D. Patil, H.D. Peck Jr., A.L. Menon, R.L. Robson, A.E. Przybyla* 91

Adenosine stimulates 5'-nucleotidase activity in rat mesangial cells via A_2 receptors (FEBS 13015) *V. Stefanovic, P. Vlahovic, V. Savic, N. Ardaillou, R. Ardaillou* 96

Penicillin binding protein 2x as a major contributor to intrinsic β-lactam resistance of *Streptococcus pneumoniae* (FEBS 13013) *M. Jamin, R. Hakenbeck, J.-M. Frere* 101

Biosynthesis of vitamin B_{12}: Discovery of the enzymes for oxidative ring contraction and insertion of the fourth methyl group (FEBS 13017) *A.I. Scott, C.A. Roessner, N.J. Stolowich, J.B. Spencer, C. Min, S.-I. Ozaki* 105

Essential role of the Arg^{112} residue of cytochrome P450cam for electron transfer from reduced putidaredoxin (FEBS 13016) *H. Koga, Y. Sagara, T. Yaoi, M. Tsujimura, K. Nakamura, K. Sekimizu, R. Makino, H. Shimada, Y. Ishimura, K. Yura, M. Go, M. Ikeguchi, T. Horiuchi* 109

Bovine inositol monophosphatase: Studies on the binding interactions with magnesium, lithium and phosphate ions (FEBS 13018) *P.J. Greasley, M.G. Gore* 114

Chronic ethanol administration enhances retinoic acid and triiodothyronine receptor expression in mouse liver (FEBS 13019) *V. Pallet, M. Coustaut, F. Naulet, D. Higueret, H. Garcin, P. Higueret* 119

The crystal structure of triacylglycerol lipase from *Pseudomonas glumae* reveals a partially redundant catalytic aspartate (FEBS 13020) *M.E.M. Noble, A. Cleasby, L.N. Johnson, M.R. Egmond, L.G.J. Frenken* 123

The pH-dependent anion-conducting channel of the mitochondrial inner membrane is potently inhibited by zinc ions (FEBS 13023) *M.J. Selwyn, L.T. Ng, H.L. Choo* 129

Astacins, serralysins, snake venom and matrix metalloproteinases exhibit identical zinc-binding environments (HEXXHXXGXXH and Met-turn) and topologies and should be grouped into a common family, the 'metzincins' (FEBS 13024) *W. Bode, F.-X. Gomis-Rüth, W. Stöckler* 134

Repression of histone H5 gene expression in chicken mature erythrocytes is correlated with reduced DNA-binding activities of transcription factors SP1 and GATA-1 (FEBS 13025) *J.-M. Sun, C.G. Penner, J.R. Davie* 141

Similarity between serine hydroxymethyltransferase and other pyridoxal phosphate-dependent enzymes (FEBS 13027) *S. Pascarella, V. Schirch, F. Bossa* 145

ras oncogene-induced transformation of a rat seminal vesicle epithelial cell line produces a marked increase of adenylate cyclase and protein kinase C activities (FEBS 13029) *A.M. Spina, E. Chiosi, S. Naviglio, F. Valente, M. Marchese, A. Furgi, S. Metafora, G. Illiano* 150

Different target-site specificities of the hairpin ribozyme in *cis* and *trans* cleavages (FEBS 13028) *K. Fujitani, N. Sasaki-Tozawa, Y. Kikuchi* 155

Assembly of eukaryotic class III (N-out, C-in) membrane proteins into the *Escherichia coli* cytoplasmic membrane (FEBS 13030) *E.S. Hennessey, L. Hashemzadeh-Bonehi, L.A. Hunt, J.K. Broome-Smith* 159

Vitamin B_6 deficiency causes activation of RNA polymerase and general enhancement of gene expression in rat liver (FEBS 13033) *T. Oka, N. Komori, M. Kuwahata, T. Sassa, I. Suzuki, M. Okada, Y. Natori* 162

Identification of the barstar binding site of barnase by NMR spectroscopy and hydrogen–deuterium exchange (FEBS 13031) *D.N.M. Jones, M. Bycroft, M.J. Lubienski, A.R. Fersht* 165

Selective inhibition of Colorado potato beetle cathepsin H by oryzacystatins I and II (FEBS 13034) *D. Michaud, B. Nguyen-Quoc, S. Yelle* 173

Published by Elsevier Science Publishers B.V.

Contents to volume 331

Hypothesis

Identification of putative internalization signals in prion proteins (FEBS 13032) *A.L. Kazim* 1

Research Letters

Widespread distribution of free D-aspartate in rat periphery (FEBS 12997) *A. Hashimoto, T. Nishikawa, T. Oka, T. Hayashi, K. Takahashi* 4

Isolation and amino acid sequence of the 30S ribosomal protein S19 from *Mycobacterium bovis* BCG (FEBS 12994) *N. Ohara, M. Kimura, Y. Higashi, T. Yamada* 9

Calcitonin gene expression in normal human liver (FEBS 12995) *S. Bracq, M. Machairas, B. Clement, E. Pidoux, M. Andreoletti, M.S. Moukhtar, A. Jullienne* 15

Nucleotide and negatively charged lipid-dependent vesicle aggregation caused by SecA: Evidence that SecA contains two lipid-binding sites (FEBS 12996) *E. Breukink, R.C.A. Keller, B. de Kruijff* 19

ATP-dependent protein refolding activity in reticulocyte lysate: Evidence for the participation of different chaperone components (FEBS 12998) *E. Nimmesgern, F.U. Hartl* 25

pH dependence of light-induced proton release by bacteriorhodopsin (FEBS 12999) *M. Kono, S. Misra, T.G. Ebrey* 31

Novel oxaloacetate effect on mitochondrial Ca^{2+} movement (FEBS 13000) *Y.N. Leikin, T.V. Zharova, O.V. Tjulina* 35

A G-protein-coupled 130 kDa phospholipase C isozyme, PLC-β4, from the particulate fraction of bovine cerebellum (FEBS 13001) *D.S. Min, Y. Kim, Y.H. Lee, P.-G. Suh, S.H. Ryu* 38

Replacement of His^{23} by Cys in a zinc finger of HIV-1 NC_p7 led to a change in ^1H NMR-derived 3D structure and to a loss of biological activity (FEBS 13002) *N. Julian, H. Demene, N. Morellet, B. Maigret, B.P. Roques* 43

Expression, purification and crystallization of fully active, glycosylated human interleukin-5 (FEBS 13003) *Y. Guisez, C. Oefner, F.K. Winkler, E.-J. Schlaeger, M. Zulauf, J. Van der Heyden, G. Plaetinck, S. Cornelis, J. Tavernier, W. Fiers, R. Devos, A. D'Arcy* 49

Distribution and second messenger coupling of four somatostatin receptor subtypes expressed in brain (FEBS 13004) *K. Kaupmann, C. Bruns, D. Hoyer, K. Seuwen, H. Lübbert* 53

cDNA deduced procionin: Structure and expression in protochordates resemble that of procholecystokinin in mammals (FEBS 13006) *H.-J. Monstein, J.U. Thorup, R. Folkesson, A.H. Johnsen, J.F. Rehfeld* 60

Induction of stathmin expression during liver regeneration (FEBS 13005) *J. Koppel, P. Loyer, A. Maucuer, P. Rehák, V. Manceau, C. Guguen-Guillouzo, A. Sobel* 65

Selective proteolysis of the wheat Em polypeptide: Identification of an endopeptidase activity in germinating wheat embryos (FEBS 13007) *R.M. Taylor, A.C. Cuming* 71

Purification of an endoproteinase that digests the wheat 'Em' protein in vitro, and determination of its cleavage sites (FEBS 13008) *R.M. Taylor, A.C. Cuming* 76

Physical map of the extremely thermophilic bacterium *Thermus thermophilus* HB27 chromosome (FEBS 13009) *K. Tabata, T. Kosuge, T. Nakahara, T. Hoshino* 81

Cloning and sequence of the cDNA coding for rat type II Fcγ receptor of mast cells (FEBS 13010) *P. Boček, I. Pecht* 86

Carboxy-terminal processing of the large subunit of [NiFe] hydrogenases (FEBS 13011) *N.K. Menon, J. Robbins, M. Der Vartanian, D. Patil, H.D. Peck Jr., A.L. Menon, R.L. Robson, A.E. Przybyla* 91

Adenosine stimulates 5'-nucleotidase activity in rat mesangial cells via A_2 receptors (FEBS 13015) *V. Stefanovic, P. Vlahovic, V. Savic, N. Ardaillou, R. Ardaillou* 96

Penicillin binding protein 2x as a major contributor to intrinsic β-lactam resistance of *Streptococcus pneumoniae* (FEBS 13013) *M. Jamin, R. Hakenbeck, J.-M. Frere* 101

Biosynthesis of vitamin B_{12}: Discovery of the enzymes for oxidative ring contraction and insertion of the fourth methyl group (FEBS 13017) *A.I. Scott, C.A. Roessner, N.J. Stolowich, J.B. Spencer, C. Min, S.-I. Ozaki* 105

Essential role of the Arg^{112} residue of cytochrome P450cam for electron transfer from reduced putidaredoxin (FEBS 13016) *H. Koga, Y. Sagara, T. Yaoi, M. Tsujimura, K. Nakamura, K. Sekimizu, R. Makino, H. Shimada, Y. Ishimura, K. Yura, M. Go, M. Ikeguchi, T. Horiuchi* 109

Bovine inositol monophosphatase: Studies on the binding interactions with magnesium, lithium and phosphate ions (FEBS 13018) *P.J. Greasley, M.G. Gore* 114

Chronic ethanol administration enhances retinoic acid and triiodothyronine receptor expression in mouse liver (FEBS 13019) *V. Pallet, M. Coustaut, F. Naulet, D. Higueret, H. Garcin, P. Higueret* 119

The crystal structure of triacylglycerol lipase from *Pseudomonas glumae* reveals a partially redundant catalytic aspartate (FEBS 13020) *M.E.M. Noble, A. Cleasby, L.N. Johnson, M.R. Egmond, L.G.J. Frenken* 123

The pH-dependent anion-conducting channel of the mitochondrial inner membrane is potently inhibited by zinc ions (FEBS 13023) *M.J. Selwyn, L.T. Ng, H.L. Choo* 129

Astacins, serralysins, snake venom and matrix metalloproteinases exhibit identical zinc-binding environments (HEXXHXXGXXH and Met-turn) and topologies and should be grouped into a common family, the 'metzincins' (FEBS 13024) *W. Bode, F.-X. Gomis-Rüth, W. Stöckler* 134

Repression of histone H5 gene expression in chicken mature erythrocytes is correlated with reduced DNA-binding activities of transcription factors SP1 and GATA-1 (FEBS 13025) *J.-M. Sun, C.G. Penner, J.R. Davie* 141

Similarity between serine hydroxymethyltransferase and other pyridoxal phosphate-dependent enzymes (FEBS 13027) *S. Pascarella, V. Schirch, F. Bossa* 145

ras oncogene-induced transformation of a rat seminal vesicle epithelial cell line produces a marked increase of adenylate cyclase and protein kinase C activities (FEBS 13029) *A.M. Spina, E. Chiosi, S. Naviglio, F. Valente, M. Marchese, A. Furgi, S. Metafora, G. Illiano* 150

Different target-site specificities of the hairpin ribozyme in *cis* and *trans* cleavages (FEBS 13028) *K. Fujitani, N. Sasaki-Tozawa, Y. Kikuchi* 155

Assembly of eukaryotic class III (N-out, C-in) membrane proteins into the *Escherichia coli* cytoplasmic membrane (FEBS 13030) *E.S. Hennessey, L. Hashemzadeh-Bonehi, L.A. Hunt, J.K. Broome-Smith* 159

Vitamin B_6 deficiency causes activation of RNA polymerase and general enhancement of gene expression in rat liver (FEBS 13033) *T. Oka, N. Komori, M. Kuwahata, T. Sassa, I. Suzuki, M. Okada, Y. Natori* 162

Identification of the barstar binding site of barnase by NMR spectroscopy and hydrogen–deuterium exchange (FEBS 13031) *D.N.M. Jones, M. Bycroft, M.J. Lubienski, A.R. Fersht* 165

Selective inhibition of Colorado potato beetle cathepsin H by oryzacystatins I and II (FEBS 13034) *D. Michaud, B. Nguyen-Quoc, S. Yelle* 173

Published by Elsevier Science Publishers B.V.

Identification of 1,4-dihydropyridine binding domains within the primary structure of the α_1 subunit of the skeletal muscle L-type calcium channel (FEBS 13036) *H. Kalasz, T. Watanabe, H. Yabana, K. Itagaki, K. Naito, H. Nakayama, A. Schwartz, P.L. Vaghy* 177

Superoxide enhances the spread of HIV-1 infection by cell-to-cell transmission (FEBS 13037) *M. Kameoka, T. Kimura, K. Ikuta* 182

Cloning, characterization and overexpression of a *Streptococcus pyogenes* gene encoding a new type of mitogenic factor (FEBS 13038) *M. Iwasaki, H. Igarashi, Y. Hinuma, T. Yutsudo* 187

PCR-based assignment of two myosin heavy chain cDNA clones to biochemically and histochemically defined single type IIB and IID fibers of rabbit muscle (FEBS 13039) *A. Uber, D. Pette* 193

Book Reviews 198

Booklist No. 115 205

Effect of the general anesthetic halothane on the activity of the transverse tubule Ca^{2+}-activated K^+ channel (FEBS 13012) *T. Beeler, K. Gable* 207

Molecular cloning reveals the existence of a fourth γ subunit of the vertebrate brain $GABA_A$ receptor (FEBS 13022) *R.J. Harvey, H.-C. Kim, M.G. Darlison* 211

Determination of distances involving exchangeable protons from NOESY spectra of two DNA dodecamers (FEBS 13026) *R. Michalczyk, I.M. Russu* 217

Sarcoplasmic reticulum release channels from frog skeletal muscle display two types of calcium dependence (FEBS 13040) *R. Bull, J.J. Marengo* 223

Phosphorylation of basic fibroblast growth factor (FGF-2) in the nuclei of SK-Hep-1 cells (FEBS 13042) *I. Vilgrain, A.M. Gonzalez, A. Baird* 228

Interaction of Sec4 with GDI proteins from bovine brain, *Drosophila melanogaster* and *Saccharomyces cerevisiae*: Conservation of GDI membrane dissociation activity (FEBS 13041) *M.D. Garrett, A.K. Kabcenell, J.E. Zahner, K. Kaibuchi, T. Sasaki, Y. Takai, C.M. Cheney, P.J. Novick* 233

Prolonged, repetitive calcium transients in rat oocytes fertilized in vitro and in vivo (FEBS 13043) *D. Ben-Yosef, Y. Oron, R. Shalgi* 239

Characterization and ontogenesis of nitric oxide synthase activity in pig enterocytes (FEBS 13046) *H. M'Rabet-Touil, F. Blachier, M.-T. Morel, B. Darcy-Vrillon, P.-H. Duée* 243

A peptide corresponding to a potential polyphosphoinositide binding site of phospholipase C-β_2 enhances its catalytic activity (FEBS 13047) *A.P. Simões, P. Schnabel, R. Pipkorn, M. Camps, P. Gierschik* 248

P80 form of the human tumor necrosis factor receptor is involved in DNA fragmentation (FEBS 13048) *M. Higuchi, B.B. Aggarwal* 252

Interaction between calponin and smooth muscle myosin (FEBS 13049) *P.T. Szymanski, T. Tao* 256

The two isoforms of the mouse somatostatin receptor (mSSTR2A and mSSTR2B) differ in coupling efficiency to adenylate cyclase and in agonist-induced receptor desensitization (FEBS 13044) *M. Vanetti, G. Vogt, V. Höllt* 260

A role for protein kinase C-ε in angiotensin II stimulation of phospholipase D in rat renal mesangial cells (FEBS 13050) *J. Pfeilschifter, A. Huwiler* 267

GTPγS-Induced phosphorylation of myosin light chain kinase in smooth muscle (FEBS 13051) *D.-C. Tang, Y. Kubota, K.E. Kamm, J.T. Stull* 272

The dephosphorylation characteristics of the receptors for epidermal growth factor and platelet-derived growth factor in Swiss 3T3 cell membranes suggest differential regulation of receptor signalling by endogenous protein-tyrosine phosphatases (FEBS 13014) *F.-D. Böhmer, S.-A. Böhmer, C.-H. Heldin* 276

Bilirubin attenuates radical-mediated damage to serum albumin (FEBS 13055) *J. Neužil, R. Stocker* 281

The role of protein kinase C in the induction of VCAM-1 expression on human umbilical vein endothelial cells (FEBS 13056) *T.A. Deisher, T.L. Haddix, K.F. Montgomery, T.H. Pohlman, K. Kaushansky, J.M. Harlan* 285

Inhibition of an archaeal protein phosphatase activity by okadaic acid, microcystin-LR, or calyculin A (FEBS 13052) *K.A. Oxenrider, M.E. Rasche, M.V. Thorsteinsson, P.J. Kennelly* 291

Antibodies against the major brain isoforms of 14-3-3 protein: An antibody specific for the N-acetylated amino-terminus of a protein (FEBS 13058) *H. Martin, Y. Patel, D. Jones, S. Howell, K. Robinson, A. Aitken* 296

Singlet oxygen induces collagenase expression in human skin fibroblasts (FEBS 13057) *K. Scharffetter-Kochanek, M. Wlaschek, K. Briviba, H. Sies* 304

Errata and Corrigenda 307

Author index to Volume 331 308

Contents to Volume 331 312